

S84	12	checksum same data same (packet or group) and database and checksum same compar\$ same data and time same compar\$ same data and database same checksum same "base".	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/16 22:16
S85	1	checksum same data same (packet or group) and checksum same compar\$ same data and "time interval" same compar\$ same data and database same checksum	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/16 22:19
S86	1	"5765172".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/17 18:02
S87	13	checksum same data same (packet or group) and checksum same compar\$ same data and "time" same compar\$ same data and database same checksum and database same sync\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/17 18:03
S88	38	checksum same data same (packet or group) and checksum same compar\$ same data and "time" same compar\$ same data and database same checksum	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/17 18:03
S89	351	"data group" with ("MSC" or "mobile switching center" or "source")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/20 16:31
S90	7	"data group" with ("MSC" or "mobile switching center" or "source") with database	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/20 16:32
S91	7	"data group" with ("MSC" or "mobile switching center" or "source" or "base station") with database	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/20 16:33
S92	0	"data group" with ("MSC" or "mobile switching center" or "source" or "base station") with database and "base station"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/20 16:33
S93	0	"data group" with ("MSC" or "mobile switching center" ) with database	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/20 16:33
S94	0	"data group" same ("MSC" or "mobile switching center" ) with database	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/20 16:34

S95	14	"data group" and ("MSC" or "mobile switching center" ) with database	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/20 16:34
S96	4	"data group" and ("MSC" or "mobile switching center" ) with database and checksum	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/20 17:27
S97	0	"data group" and ("MSC" or "mobile switching center" ) with database and checksum and synchroniz\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/20 17:02
S98	0	"data group" and ("MSC" or "mobile switching center" ) with database and checksum and synchroniz\$ with data	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/20 17:25
S99	0	"data group" and ("MSC" or "mobile switching center" ) with database and checksum and synchroniz\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/20 17:25
S10 0	4	"data group" and ("MSC" or "mobile switching center" ) with database and checksum and compare\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/20 17:28
S10 1	4	"data group" and ("MSC" or "mobile switching center" ) with database and checksum and compare\$ and repeat\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/20 17:28
S10 2	3	"data group" and ("MSC" or "mobile switching center" ) with database and checksum and compare\$ and repeat\$ with checksum	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/20 17:57
S10 3	3	"data group" and ("MSC" or "mobile switching center" ) with database and checksum and compare\$ and repeat\$ with checksum and interval	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/20 17:57
S10 4	3	"data group" and ("MSC" or "mobile switching center" ) with database and checksum and compare\$ and repeat\$ with checksum and time	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/20 17:57
S10 5	0	"data group" and ("MSC" or "mobile switching center" ) with database and checksum and compare\$ and repeat\$ with checksum and time with interval	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/20 17:58

S10 7	3	"data group" and ("MSC" or "mobile switching center" ) with database and checksum and compare\$ and repeat\$ with checksum and time same interval	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/21 15:22
S10 8	2	("5528621" "5765172").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/21 14:49
S10 9	0	("5528621" "5765172").pn. and data with group	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/21 14:49
S11 0	1	("5528621" "5765172").pn. and data and group	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/21 14:58
S11 1	2	("5528621" "5765172").pn. and checksum	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/21 14:58
S11 2	0	"packet" and ("MSC" or "mobile switching center" ) with database and checksum and compare\$ and repeat\$ with checksum and time same interval	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/21 15:36
S11 3	374	synchron\$ with "data group"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/21 15:36
S11 4	0	synchron\$ with "data group" and ("MSC" or "mobile switching center")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/21 15:37
S11 5	0	synchron\$ same "data group" and ("MSC" or "mobile switching center")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/21 15:38
S11 6	317	synchron\$ same "data group" and source	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/21 15:38
S11 7	15	synchron\$ same "data group" and source and "base station"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/21 15:38
S11 8	0	synchron\$ same "data group" and source with databse and "base station"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/21 15:38

S119	1	"5765172".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 13:38
S120	1	"5528621".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 13:51
S121	128	checksum with data with group	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 13:53
S123	15	checksum with "data group"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 13:51
S124	1	checksum with "data group" and source with unit	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 15:23
S125	1	checksum with "data group" and source and base	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 13:52
S126	39	checksum with data with group and source and base	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 13:53
S127	1	"5765172".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 16:17
S128	271	telecommunication and base with station and checksum with data	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 16:18
S129	2	telecommunication and base with station and checksum with data with group and source	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 16:18
S130	2	telecommunication and base with station and checksum with data with group and source and database	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 16:21
S131	2	telecommunication and base with station and checksum with data with group and source with database	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 16:21

S13 2	0	telecommunication and base with station and checksum with data with group and source with database and base with database	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 16:21
S13 3	0	telecommunication and base with station and checksum with data with group and source with database and "base station " with database	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 16:22
S13 4	0	telecommunication and base with station and checksum with data with group and source with database and "base station" with database	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 16:22
S13 5	0	telecommunication and base with station and checksum with data with group and source with database and "base station" same database	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 16:22
S13 6	2	telecommunication and base with station and checksum with data with group and source with database and database	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 16:22
S13 7	2	telecommunication and base with station and checksum with data with group and source with database and database and correspond\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 16:23
S13 8	0	telecommunication and base with station and checksum with data with group and source with database and database and correspond\$ with source	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 16:22
S13 9	0	telecommunication and base with station and checksum with data with group and source with database and database and correspond\$ same source	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 16:22
S14 0	2	telecommunication and base with station and checksum with data with group and source with database and database and correspond\$ and source with data	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 16:27
S14 1	3	base with station and checksum with data with group and source with database and database and correspond\$ and source with data	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 16:27

S14 2	3	"base station" and checksum with data with group and (source or "MSC" or "mobile switching center") with database and database and correspond\$ and source with data	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 16:28
S14 3	3	"base station" and checksum with data with group and (source or "MSC" or "mobile switching center") with database and database and correspond\$ and (source or "MSC" or "mobile switching center") with data	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 16:28
S14 4	2209	"base station" with database	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 16:45
S14 5	225	"base station" with database and synchroniz\$ with data	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 16:45
S14 6	34	"base station" with database and synchroniz\$ with data and (source or "MSC" or "mobile switching center" or "radio network controller") with database	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 16:47
S14 7	68	"base station" with database and synchroniz\$ with data and (source or "MSC" or "mobile switching center" or "radio network controller" or radio) with database	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 16:46
S14 8	11	"base station" with database and synchroniz\$ with data and (source or "MSC" or "mobile switching center" or "radio network controller") with database with data	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 16:47
S14 9	4	"base station" with database and synchroniz\$ with data and (source or "MSC" or "mobile switching center" or "radio network controller") with database same data and data with group	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 16:49
S15 0	2	"base station" with database and synchroniz\$ with data and (source or "MSC" or "mobile switching center" or "radio network controller") with database same data and data with group and match	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 16:47

S15 1	26	"base station" with database same data and (source or "MSC" or "mobile switching center" or "radio network controller") with database same data and data with group	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 16:49
S15 2	0	"base station" with database same data and (source or "MSC" or "mobile switching center" or "radio network controller") with database same data and data with group and checksum	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 16:49
S15 3	0	"base station" with database same data and (source or "MSC" or "mobile switching center" or "radio network controller") with database same data and data with group and "check sum"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 16:54
S15 4	2	"base" with database same data and (source or "MSC" or "mobile switching center" or "radio network controller") with database same data and data with group and "check sum"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 16:54
S15 5	22	"base" with database same data and (source or "MSC" or "mobile switching center" or "radio network controller") with database same data and data with group and ("check sum" or "checksum")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 17:11
S15 6	1	"base" with database same data and ( "MSC" or "mobile switching center" or "radio network controller") with database same data and ("check sum" or "checksum")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 17:14
S15 7	5	"base" with database and ( "MSC" or "mobile switching center" or "radio network controller") with database and ("check sum" or "checksum") and data with group	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 17:22
S15 8	0	"base" with database and ( "MSC" or "mobile switching center" or "radio network controller") with database and ("check sum" or "checksum") and synchroniz\$ with (Data or file)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 17:23
S15 9	30	"base" with database and ( "MSC" or "mobile switching center" or "radio network controller") with database and synchroniz\$ with (Data or file)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 17:23

S16 0	10	"base" with database and ( "MSC" or "mobile switching center" or "radio network controller") with database and synchroniz\$ with (Data or file) and (data or file) with group	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 17:23
S16 1	5	"base" with database and ( "MSC" or "mobile switching center" or "radio network controller") with database and ("check sum" or "checksum") and synchroniz\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 17:30
S16 2	0	database and ( "MSC" or "mobile switching center" or "radio network controller") with database and ("check sum" or "checksum") and synchroniz\$ and data with group and match\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 17:31
S16 3	3	database and ( "MSC" or "mobile switching center" or "radio network controller") with database and ("check sum" or "checksum") and synchroniz\$ and data and match\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 17:32
S16 4	822412	database and ( "MSC" or "mobile switching center" or "radio network controller") with database and ("check sum" or "checksum") and data with groupand match\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 17:32
S16 5	4	database and ( "MSC" or "mobile switching center" or "radio network controller") with database and ("check sum" or "checksum") and data with group and match\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 17:39
S16 6	6	( "MSC" or "mobile switching center" or "radio network controller") with ("check sum" or "checksum")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 17:45
S16 7	1	"5970144".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 17:44
S16 8	3	( "MSC" or "mobile switching center" or "radio network controller") adj10 ("check sum" or "checksum")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 18:02
S16 9	40	( "MSC" or "mobile switching center" or "radio network controller") and ("check sum" or "checksum") and "base station" same database and transmiss\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 18:03



S17 0	0	( "MSC" or "mobile switching center" or "radio network controller") and ("check sum" or "checksum") and "base station" same database and transmiss\$ and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 18:03
----------	---	---	---	----	----	------------------